

Certification practice statement for timestamping service

The logo for Tecalis, featuring the word "tec" in a dark blue, lowercase, sans-serif font, followed by a stylized infinity symbol in the same color, and then "alis" in a dark blue, lowercase, sans-serif font. A small green square is positioned above the dot of the 'i' in "alis".

tec∞alis



Certification practice statement for timestamping service

Público

General Information

Documental Control

Security Classification	Public
Version	2.0
Edition Date	15/09/2025
File	DPC_TSA_EN_v2.0

Formal State

Prepared by	Reviewed by	Approved by
Raquel Fernández 15/09/2025	Leticia Faria 16/09/2025	Isidoro Martínez 17/09/2025

Version control

Version	What changes	Change description	Author	Date
1.0	Original	Document creation	Alejandro Grande	23/03/2022
1.0	No changes	Annual revision	Leticia Faria	06/06/2023
1.0	No changes	Annual revision	Iria Baranda	12/06/2024
1.0	1.3.5	Uanataca security standard version update	Iria Baranda	22/07/2024
1.0	No changes	Annual revision	Iria Baranda	10/06/2025
2.0	1.3.1	The hierarchy of the certificates used is added.	Raquel Fernández	15/09/2025
	1.3.3.1	The obligations of the subscribers are included in accordance with the terms and conditions of the TSA.		
	1.3.5.1	Obligations relating to the		



Certification practice statement for timestamping service

Público

		Infrastructure Service Provider are added.		
	4.7.7	Information on how to verify the time stamp is included.		
	6.1.6	Corrections are made to adjust the key length value according to the technical configuration.		
	6.1.8	Inclusion of details regarding the hash algorithms used in the service.		



Certification practice statement for timestamping service

Público

Indice

General Information	2
Documental Control	2
Formal State	2
Version control	2
Índice	3
Certification practice statement for timestamping service	9
1. Introduction	9
1.1 Presentation	9
1.2 Document Name And Identification	9
1.3 Participants in The Certification Services	9
1.3.1 Certification Service Provider	9
1.3.2 Time Stamping Authority	9
1.3.3 Subscriber of the certification service	9
1.3.3.1 Obligations of the Subscribers	10
1.3.4 Relying Parties	10
1.3.5 Service Provider of the Technological infrastructure	10
1.3.5.1. Obligations of the Infrastructure Service Provider	11
1.4 Use Of Timestamping Service	11
1.4.1 Permitted Uses	11
1.4.2 Prohibited Uses	12
1.5 Policy Management	12
1.5.1 Organization that administers the document	12
1.5.2 Contact Information of the Organization	12
1.5.3 Document management procedures	12
The documental and organization system of TECALIS guarantees, according to the existence and request of the corresponding procedures, the correct maintenance of this document and the specification of the service related to itself.	10
2. Publication and Preservation	13
2.1 Time Stamp Preservation	13
2.2 Publication of Information of the Certification Services Provider	13
2.3 Frequency of Publication	13
2.4 Access Control	13
3. Identification and Authentication	14
3.1 Initial Registration	14
3.1.1 Type of Names	14



Certification practice statement for timestamping service

Público

3.1.2	Meaning of the Names	14
3.1.3	Use of anonymous and pseudonymous	14
3.1.4	Interpretation of name formats	14
3.1.5	Uniqueness of names	14
3.2	Initial Identity Validation	14
3.3	Identification and Authentication of Renewal Requests	14
3.4	Identification and Authentication of Revocation, Suspension or Reactivation Request	15
4.	Operational Requirements	16
4.1	Requests for Time Stamp	16
4.1.1	Legitimation to apply for the issuance	16
4.1.2	Registration Procedure and Responsibilities	16
4.2	Processing the Request	16
4.3	Time Stamp Issue	16
4.4	Certificate Delivery and Acceptance	17
4.5	Key Pair and Certificate Usage	17
4.6	Certificate Modification	17
4.7	Revocation, Suspension or Reactivation of certificates	17
4.7.1	Causes of Certificate Revocation	18
4.7.2	Reasons for suspension of certificates	18
4.7.3	Reason for reactivation of certificates	18
4.7.4	Who can request the revocation, suspension or reactivation	18
4.7.5	Procedures for revocation, suspension or reactivation request	18
4.7.6	Temporary period of revocation, suspension or reactivation application processing	18
4.7.7	Obligation to consult certificate revocation or suspension information	19
4.7.8	Frequency of issuance of certificate revocation lists (CRLs)	20
4.7.9	Maximum period of publication of CRLs	20
4.7.10	Availability of the service checking in line with the state of the certificates	20
4.7.11	Obligation to check the consultation certificate status service	20
4.7.12	Special Requirements in case of compromise of the private key	20
4.8	Completion of the Subscription	20
4.9	Deposit and Recovery of Keys	20
4.9.1	Policies and practices of deposit and key recovery	20
4.9.2	Policy and practices of encapsulation and recovery of key session	21
5.	Physical Security Controls, Management and Operations	22
5.1	Physical Security Controls	22
5.2	Location and Construction of Facilities	22
5.2.1	Physical Access	23
5.2.2	Electrical Power and Air Conditioning	23



Certification practice statement for timestamping service

Público

5.2.3 Exposure to water	23
5.2.4 Fire prevention and protection	23
5.2.5 Backup Storage	23
5.2.6 Waste Management	26
5.2.7 Offline Backup	26
5.3 Procedure Controls	26
5.3.1 Trust Roles	26
5.3.2 Identification and authentication for each role	25
5.3.3 Roles requiring separation of task	25
5.4 Personnel Controls	25
5.4.1 History, qualification, experience and authorization requirements	26
5.4.2 Procedures of history investigation	26
5.4.3 Training requirements	26
5.4.4 Retraining frequency and requirements	26
5.4.5 Job rotation frequency and sequence	27
5.4.6 Sanctions and authorized action	27
5.4.7 Professional contracting requirements	27
5.4.8 Documentation supplied to personnel	27
5.5 Security Audit Procedures	27
5.5.1 Types of recorded events	28
5.5.2 Frequency of processing Audit Logs	28
5.5.3 Period of retention of audit logs	29
5.5.4 Audit logs protection	29
5.5.5 Audit log backup procedures	29
5.5.6 Location of the audit logs storage system	29
5.5.7 Notification of the audit event to the subject that caused the event	29
5.5.8 Vulnerability analysis	29
5.6 Information Files	30
5.6.1 Retention period for the files	30
5.6.2 Protection of the file	30
5.6.3 File Backup procedures	30
5.6.4 Requirements of timestamping	30
5.6.5 Location of the file system	30
5.6.6 Procedures to obtain and verify file information	31
5.7 Key Renewal	31
5.8 Compromised Key and Disaster Recovery	31
5.8.1 Management procedures of incidents and compromise	31
5.8.2 Resources, applications or data corruption	31
5.8.3 Compromised private key of the entity	31
5.8.4 Business continuity capabilities after a disaster	31



Certification practice statement for timestamping service

Público

5.9 Service Termination	31
6. Technical Security Controls	33
6.1 Generation and Installation of Their Pair Keys	33
6.1.1 Generation of the key pair	33
6.1.2 Sending of the public key to the certificate issuer	
6.1.3 Public key distribution of the certification services provider	33
6.1.4 Key Sizes	34
6.1.5 Generation of public key parameters	34
6.1.6 Quality check of the public key parameters	34
6.1.7 Key generation in IT applications or in equipment good	34
6.1.8. Hash Algorithms Used in the Service	34
6.2 Private Key Protection	35
6.2.1 Cryptographic modules standards	35
6.2.2 Private key multi-person (n of m) control	35
6.2.3 Private key backup	35
6.2.4 Private key transfer into a cryptographic module	35
6.2.5 Method of activating the private key	35
6.2.6 Method of deactivating the private key	35
6.2.7 Cryptographic modules classification	36
6.3 Computer Security Controls	36
6.4 Life Cycle Technical Controls	37
6.4.1 System development controls	37
6.4.2 Security management controls	37
6.5 Network Security controls	39
6.6 Engineering controls of Cryptographic Modules	39
6.7 Time Sources	39
6.8 Electronic Qualified Time Stamp Time Accuracy	40
6.9 Change of State of a Qualified Signature Creation Device	40
7. TSU Certificate Profile	41
7.1 Certificate Profile	41
7.1.1 Version Number	41
7.1.2 Certificate extensions	41
7.1.3 Object Identifier (OID) of the algorithms	41
7.1.4 Names Format	42
7.1.5 Names Restriction	42
7.1.6 Object Identifiers (OID) of certificates types	42
7.2 Certificate Revocation List Profile	42
7.2.1 Version Number	42
7.2.2 OCSP profile	42
8. Compliance Audit	43



Certification practice statement for timestamping service

Público

8.1 Frequency of Compliance Audit	43
8.2 Identification and Qualification of the Auditor	43
8.3 Auditor Relationship to Audited Entity	43
8.4 Topics Covered by Audit	43
8.4 Actions taken as a result of Lack of Conformity	43
8.5 Treatment of Audit Reports	44
9. Business and Legal Requirements	45
9.1 Fees	45
9.1.1 Timestamping service fees	45
9.1.2 Timestamping status information Access fees	45
9.1.3 Fees for other services	45
9.1.4 Refund Policy	45
9.2 Financial Capacity	45
9.2.1 Cobertura de seguro	45
9.2.2 Other assets	45
9.2.3 Insurance Coverage for subscribers and relaying third parties in certificates	45
9.3 Confidentiality	46
9.3.1 Confidential Information	46
9.3.2 Legal disclosure of information	46
9.4 Personal Data Protection	46
9.5 Intellectual Property Rights	48
9.6 Obligations and Civil Liability	48
9.6.1 TECALIS Obligations	48
9.6.2 Guarantees offered to subscribers and relying third parties in certificates	49
9.6.3 Rejection of other guarantees	50
9.6.4 Limitation of liability	50
9.6.5 Fortuitous event and force majeure	50
9.6.6 Applicable Law	50
9.6.7 Severability, survival, entire agreement and notification clauses	50
9.6.8 Competent Jurisdiction Clause	51
9.6.9 Resolution of conflicts	51
10. Annex I - Acronyms	52



Certification practice statement for timestamping service

Público

Certification practice statement for timestamping service

1. Introduction

1.1 Presentation

This document declares the certification practices for the service of issuing qualified electronic time stamps of TECALIS SOFTWARE SL, hereinafter TECALIS, by making use of the public key infrastructure (PKI) of Uanataca, S.A.

1.2 Document Name And Identification

This document is the "TECALIS Time Stamping Certification Practices Statement".

1.3 Participants in The Certification Services

1.3.1 Certification Service Provider

The electronic certification service provider (TSP / PSC) is the natural or legal person that provides one or more trust service. TECALIS is a trust service provider, acting in accordance with Regulation (EU) 910/2014 OF THE EUROPEAN PARLAMENT AND BOARD of 23rd July of 2014 related to the electronic identification and to the relying services for electronic transactions within the domestic market and repealing Directive 1999/93/CE, as well as the technical rules of the ETSI applicable to the issuance of qualified Time-Stamps, mainly the ETSI 319 421, in order to facilitate the legal requirements and international recognition of its services.

For the provision of the certification service, TECALIS has established a hierarchy of Certification Authorities:

1.3.2 Time Stamping Authority

The Time Stamping Authority (TSA) is the trusted third party that provides the time stamping service. TECALIS is the trust service provider that provides the qualified time stamping service.

1.3.3 Subscriber of the certification service

The subscribers are the end users that receives the timestamps issued by TECALIS. The subscribers of the certification services are:



Certification practice statement for timestamping service

Público

- Companies, entities, corporations and organizations that acquire them from TECALIS for its use in its business or organizational corporate level and which have been identified in the certificates.
- Natural persons that acquire the certificates for themselves and they have been identified in the certificates.

The subscriber of the trust service is the client of the Trust Service Provider.

1.3.3.1 Obligations of the Subscribers

- Make requests for qualified electronic time stamps in accordance with the procedure and, if necessary, the technical components provided by TECALIS, in compliance with the provisions set forth in the Certification Practice Statement (CPS) and TECALIS documentation.
- Follow the instructions specified in TECALIS's TSU certificate PDS.
- Verify the electronic signatures of the electronic time stamps, including the validity of the certificate used.
- Use the electronic time stamps within the limits and scope described in this CPS and PDS.

1.3.4 Relying Parties

The relying parties are the persons and organizations that receive the qualified time stamps.

To trust certificates, the relying parties must verify them, as it is established in the certification practice statement.

1.3.5 Service Provider of the Technological infrastructure

TECALIS and UANATACA, S.A. have signed a contract for the provision of technology services in which UANATACA will provide the public key infrastructure (PKI) that supports the trust service of TECALIS. UANATACA makes available to TECALIS the technical personnel necessary for the correct performance of the reliable functions of a Trusted Service Provider. UANATACA is the provider of Infrastructure services for certification services, provides its technological services to TECALIS so that it can carry out the services inherent to a Trusted Services Provider, always guaranteeing the continuity of services in the conditions and under the requirements demanded by the regulations.

UANATACA is a Trusted Service Provider accredited in accordance with the provisions of REGULATION (EU) No 910/2014 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.

The PKI of UANATACA is subject to annual audits for the evaluation of the conformity of qualified providers of trust services according to the applicable regulations, under the norms:

- a) ISO/IEC 17065:2012
- b) ETSI EN 319 403
- c) ETSI EN 319 421



Certification practice statement for timestamping service

Público

- d) ETSI EN 319 401
- e) ETSI EN 319 411-2
- f) ETSI EN 319 411-1

Also, UANATACA's PKI is subject to annual Audit under the security standards:

- a) ISO 9001:2015
- b) ISO/IEC 27001:2022

1.3.5.1. Obligations of the Infrastructure Service Provider

The Public Key Infrastructure (PKI) service provider is obligated to make available to TECALIS the necessary technology services for the provision of certification services. In this regard:

- The provider shall have the necessary hardware to ensure that the aforementioned services are delivered with the security levels required by the applicable regulations.
 - It shall have the necessary software to ensure that the aforementioned services are delivered with the security levels required by the applicable regulations.
 - It shall guarantee the custody and hosting of the systems (hardware and software) in a Data Processing Center (Data Center) with appropriate logical and physical security levels, in accordance with generally accepted international standards.
 - It shall be responsible for carrying out all preventive, evolutionary, corrective, reactive, and, in general, any other maintenance required by the technological infrastructure for the provision of technology services.
 - It shall be responsible for providing third-level technical support, meaning it shall provide technical support for issues that exceed TECALIS's management capacity and are directly related to deficiencies and/or technical failures in the technological infrastructure.
 - In providing services to TECALIS, the provider shall make available the necessary technical personnel for the operation of the public key infrastructure, who shall perform the trusted roles dedicated to the administration and operation of the systems, specifically:

- PKI Security Officer
- Internal Auditor
- System Administrator
- System Operator
- CA Administrator
- CA Operator

1.4 Use Of Timestamping Service

1.4.1 Permitted Uses

The Time Stamping service issues time stamps in order to prove that a data has existed and has not been altered from a specific moment in time. The use of the time stamping service is



Certification practice statement for timestamping service

Público

limited to the applications and / or systems of clients (individuals or legal entities) that have contracted these services.

The Time Stamping Services from TECALIS are identified with OID: 1.3.6.1.4.1.58758.2

1.4.2 Prohibited Uses

The Time Stamping Service will not be used for purposes other than those specified in this document. In the same way, the service should only be used in accordance with the applicable regulation.

1.5 Policy Management

1.5.1 Organization that administers the document

Tecalís Software S.L.

Rúa Oliveira 96, Parque empresarial Novo Milladoiro, 15895 Milladoiro-Ames

A Coruña, España

+34 911 01 07 00

hello@tecalis.com

1.5.2 Contact Information of the Organization

Tecalís Software S.L.

Rúa Oliveira 96, Parque empresarial Novo Milladoiro, 15895 Milladoiro-Ames

A Coruña, España

+34 911 01 07 00

hello@tecalis.com

1.5.3 Document management procedures

The documental and organization system of TECALIS guarantees, according to the existence and request of the corresponding procedures, the correct maintenance of this document and the specification of the service related to itself.



Certification practice statement for timestamping service

Público

2. Publication and Preservation

2.1 Time Stamp Preservation

TECALIS safely store all time stamps generated for at least 15 years. Likewise, it has a published deposit, where all the information related with the time stamping service is stored.

That service is available 24 hours, 7 days per week and, in case of the system failure was under TECALIS's control, it will make its best efforts to ensure that the service is back available according with established deadlines and procedures with respect the business continuity plan.

2.2 Publication of Information of the Certification Services Provider

TECALIS publishes the following information, in its Deposit:

- The Certification Practice Statement for time stamping service.
- Policy disclosure statements (PDS).
- The public key of the TSU certificate.
- References to the validation service of Time Stamps.

2.3 Frequency of Publication

The information of the certification services provides, including the policies and the Certification Practice Statement, is published when available.

The changes on the Certification Practice Statement shall be governed by the established in the change management procedure and in accordance with the applicable regulations.

2.4 Access Control

TECALIS does not limit the read access to the information established in the section 2.2 but establishes controls to prevent non-authorized people to add, modify or delete registrations of the Deposit, to protect the integrity and authenticity of the information.

TECALIS uses reliable systems for the Deposit, in such a way that:

- Only authorized persons could do annotations and modifications.
- The authenticity of the information could be verified.
- Any technical change affecting the security requirements could be detected.



Certification practice statement for timestamping service

Público

3. Identification and Authentication

3.1 Initial Registration

3.1.1 Type of Names

All the certificates used in the Time Stamping provision, hereinafter “TSU Certificate”, contain a distinguished name (DN) X.501 in the field Subject including a component Common Name (CN=).

The TSU Certificates are issued by Uanataca, S.A., hereinafter “UANATACA”, these certificates are issued according to the article 38 and the Annex III of the REGULATION (EU) No 910/2014 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC and they are compliant with the technical regulations identified with the references ETSI EN 319 412-3, ETSI EN 319 421 y ETSI EN 319 422.

3.1.2 Meaning of the Names

The names in the fields of the certificates SubjectName and SubjectAlternativeName are understandable in natural language, in accordance with the provisions of the previous section.

3.1.3 Use of anonymous and pseudonymous

N/A

3.1.4 Interpretation of name formats

TECALIS is compliant with the requirements of the X.500 standard.

3.1.5 Uniqueness of names

The distinguished name of the TSU Certificates will be unique.

3.2 Initial Identity Validation

N/A

3.3 Identification and Authentication of Renewal Requests

N/A



Certification practice statement for timestamping service

Público

3.4 Identification and Authentication of Revocation, Suspension or Reactivation Request

N/A

4. Operational Requirements

4.1 Requests for Time Stamp

4.1.1 Legitimation to apply for the issuance

The requester or user of the Time Stamping service, a natural or legal person, can make a request of a qualified time stamp by a direct request to TECALIS or through the available TSA server, which allows the time stamping of the documents.

The requester or user of the Time Stamping service can use their own application or software through the protocol defined in RFC 1361 and in accordance with ETSI 319 422, all by connecting to a web address and using credentials provided by TECALIS.

Once the request has been accepted, registered and the appropriate verifications have been done, the timestamp is issued and sent to the requester.

4.1.2 Registration Procedure and Responsibilities

TECALIS receives requests for the time stamping service, made by persons, entities, companies or organization of public or private law.

Applications are made directly through the TECALIS computer systems.

4.2 Processing the Request

The requester submits through the established procedures, the application of the time stamp for an electronic document directly to the time stamping service / server in charge of the sealing. First the petition shall be made, after the document shall be send to the corresponding web direction, after the documents will be duly sealed and returned.

4.3 Time Stamp Issue

The qualified time stamps are automatically issued through the system or server which is providing the time stamping service. After the approval of the time stamp request, the time stamp is issued securely and made available to the subscriber.

During the process, TECALIS:

- Protects the confidentiality and integrity of the registration data that owns.
- Uses reliable systems and products that are protected against every disturbance and guarantee the technical security and, in its case, cryptographic security of the processes of certification to which they support.



Certification practice statement for timestamping service

Público

- Indicates the date and hour in which a time stamp was issued

4.4 Certificate Delivery and Acceptance

The delivery and acceptance of the TSU Certificates follow the processes and indications established in the Certification Practice Statements and the PDS of UANATACA as Certification Authority, all available on the website: <https://web.uanataca.com/>.

4.5 Key Pair and Certificate Usage

The TSU Certificate is exclusively used for the service of issuing qualified electronic time stamps.

4.6 Certificate Modification

N/A

4.7 Revocation, Suspension or Reactivation of certificates

The revocation of a certificate means the definitive withdrawal of the certificate and it is irrevocable.

The suspension (or temporal revocation) of a certificate means the temporal withdrawal of it and it is reversible. Only end entity certificates will be able to be stopped.

The reactivation of a certificate is the transition from a hold status to an active state.

The procedures for revocation, suspension and reactivation of the TSU Certificates follow the processes and indications established in the Certification Practice Statements and the PDS of UANATACA, all available on the website: www.uanataca.com.

4.7.1 Causes of Certificate Revocation

TECALIS will revoke the TSU Certificate when any of the following causes occur:

1. Circumstances affecting the information contained in the certificate:
 - a. Modification of any of the data contained in the certificate, after the corresponding issue of the certificate including amendments.
 - b. Discovery that any of the data contained in the certificate application is incorrect.
 - c. Discovery that any of the data contained in the certificate is incorrect
2. Circumstances affecting the security of the key or certificate:
 - a. Compromise of the private key, infrastructure or systems certification service provider that issued the certificate, provided that it affects the reliability of the certificates issued from that incident.
 - b. Infringement, by TECALIS, of the requirements of the certificate management procedures established in this Certification Practice Statement.



Certification practice statement for timestamping service

Público

- c. Compromise or suspected compromise of the security key or certificate issued.
 - d. Unauthorized access or use, by a third-party private key corresponding to the public key contained in the certificate.
3. Other circumstances:
- a. Termination of Certification Service of TECALIS.
 - b. The use of the certificate that is harmful and continued to TECALIS. In this case, it is considered that a use is harmful in terms of the following criteria:
 - o The nature and number of complaints received.
 - o The identity of the entities filing complaints.
 - o The relevant legislation in force at all times.
 - o The response of the subscriber or of the person identified in the certificate to complaints received.

4.7.2 Reasons for suspension of certificates

TSU Certificates can be suspended if a key compromise is suspected, until it is confirmed. In this case, TECALIS must ensure that the certificate is not suspended for longer than necessary to confirm its compromise.

4.7.3 Reason for reactivation of certificates

The TSU Certificates can be reactivated.

4.7.4 Who can request the revocation, suspension or reactivation

The revocation, suspension or reactivation will be requested by TECALIS.

4.7.5 Procedures for revocation, suspension or reactivation request

The procedures for revocation, suspension or reactivation of the TSU Certificates follow the processes and indications established in the Certification Practice Statements and the PDS of UANATACA, all available on the website: www.uanataca.com

4.7.6 Temporary period of revocation, suspension or reactivation application processing

The temporary period of revocation, suspension or reactivation application processing follow the processes and indications established in the Certification Practice Statements and the PDS of UANATACA, all available on the website: www.uanataca.com.



Certification practice statement for timestamping service

Público

4.7.7. Obligation to Check Revocation or Suspension Information of Certificates

Third parties must verify the status of the qualified electronic time stamps they wish to rely on; to do so, they must check the status of the TSU Certificate.

One method to verify the status of TSU certificates is by consulting the most recent Certificate Revocation List (CRL) issued by the TECALIS Certification Authority responsible for issuing them.

The Certificate Revocation Lists (CRLs) are published on the TECALIS website, as well as at the following web addresses, indicated within the certificates:

- Subordinate Certification Authority - UANATACA CA1 2021
 - <http://crl1.uanataca.com/public/pki/crl/2021CA1sub.crl>
 - <http://crl2.uanataca.com/public/pki/crl/2021CA1sub.crl>

The validity status of certificates can also be checked via the OCSP protocol:

- <http://ocsp1.uanataca.com/public/pki/ocsp/>
- <http://ocsp2.uanataca.com/public/pki/ocsp/>

Third parties must verify the status of the qualified electronic time stamps they wish to rely on; to do so, they must check the status of the TSU Certificate.

One method to verify the status of TSU certificates is by consulting the most recent Certificate Revocation List (CRL) issued by the TECALIS Certification Authority responsible for issuing them.

The Certificate Revocation Lists (CRLs) are published on the TECALIS website, as well as at the following web addresses, indicated within the certificates:



Certification practice statement for timestamping service

Público

4.7.8 Frequency of issuance of certificate revocation lists (CRLs)

UANATACA issues a CRL at least every 24 hours.

The CRL indicates the scheduled time of issuance of a new CRL, although it may issue an CRL before the deadline stated in the previous CRL, to reflect revocations.

The CRL is obliged to maintain the revoked or suspended certificate until it expires.

4.7.9 Maximum period of publication of CRLs

The CRLs are published in the Deposit within a reasonable period immediately after their generation, which in any case is no more than a few minutes.

4.7.10 Availability of the service checking in line with the state of the certificates

Alternatively, third parties who rely on the Time Stamps issued by TECALIS may consult UANATACA deposit certificates, which is available 24 hours 7 days a week on the web:

- <https://www.uanataca.com/public/pki/crtlist>

To check the latest CRL issued in the CA, the following may be downloaded:

Certification Authority (CA) Intermediate 1 - UANATACA CA1 2021

- <http://crl1.uanataca.com/public/pki/crl/2021CA1sub.crl>
- <http://crl2.uanataca.com/public/pki/crl/2021CA1sub.crl>

4.7.11 Obligation to check the consultation certificate status service

It is mandatory to check the status of the TSU certificates before relying on the Time stamps issued by TECALIS.

4.7.12 Special Requirements in case of compromise of the private key

The compromise of the private key of TSU Certificate of TECALIS is notified to all participants in certification services, as far as possible, by posting this in the website and, if deemed necessary, in other media, even on paper.

4.8 Completion of the Subscription

N/A

4.9 Deposit and Recovery of Keys

4.9.1 Policies and practices of deposit and key recovery

N/A



Certification practice statement for timestamping service

Público

4.9.2 Policy and practices of encapsulation and recovery of key session

N/A

5. Physical Security Controls, Management and Operations

5.1 Physical Security Controls

TECALIS provides the trust services through the public key infrastructure of UANATACA, which has established physical and environmental security controls to protect the resources of the facilities where the systems are located, the systems and the equipment used for the operations for the provision of trustworthy electronic services.

Specifically, the security policy applicable to the trust electronic services has established requirements for the following contingencies:

- Physical access controls.
- Protection against natural disasters.
- Protective measures against fires.
- Failure of the support systems (electronic energy, telecommunications, etc.)
- Collapse of the building.
- Flooding.
- Antitheft protection.
- Unauthorized removal of equipment, information, media and applications relating to components used for the services of the service provider certification.

These measures are applicable to installations where the trust services are provided, which lends from its both mainstream and, where appropriate, operating in contingency high security installations that are properly audited periodically.

Facilities include preventive and corrective maintenance systems with assistance 24/7 all year round with assistance in the following 24 hours notice.

5.2 Location and Construction of Facilities

The facilities that make up the TECALIS Public Key Infrastructure are located in a rack / cabinet physically isolated from the rest of the infrastructure hosted at the Data Processing Centre of the technology service provider ADAM Ecotech (hereinafter ADAM), located in Barcelona, Spain.

Physical protection is achieved by creating clearly defined security perimeters around services. The quality and strength of building materials facility ensures adequate levels of protection against intrusion by brute force and located in an area of low risk of disasters and allows quick access.

The room where the cryptographic operations are performed in the Data Processing Centre has redundancy in its infrastructure, as well as several alternative sources of power and cooling in an emergency.

Facilities are available to physically protect the provision of services approval of applications for certificates and revocation management, compromise caused by unauthorized access to systems or data access and disclosure thereof.

5.2.1 Physical Access

There are three levels of physical security (building entrance where the CPD is found, access to the room of the CPD and access to the rack) for service of protecting the certificate generation and must be accessed from the lower to the upper levels.

Physical access, where certification is processed, is limited and protected by a combination of physical and procedural measures are carried out as such:

- Limited to expressly authorized persons, with identification at the time of access and registration thereof, including filming by CCTV.
- Access to the rooms is done with ID card readers and managed by a computer system that keeps a log of inputs and outputs automatically.
- To access the rack where the cryptographic processes are located, prior authorization is necessary to have the key to open the cage.

5.2.2 Electrical Power and Air Conditioning

The facilities have current-stabilising equipment and power system doubled with generator equipment.

The rooms housing IT equipment have temperature control systems with air conditioners.

5.2.3 Exposure to water

The facilities are located in an area of low risk of flooding.

The rooms where computers are housed have a moisture detection system.

5.2.4 Fire prevention and protection

The facilities and assets have automatic detection and firefighting systems.

5.2.5 Backup Storage

Only authorized individuals have access to support storage.

The most highly classified information is stored in a safe offsite Data Processing Centre.



Certification practice statement for timestamping service

Público

5.2.6 Waste Management

The elimination of media, both paper and magnetic, is made by mechanisms that guarantee the impossibility of retrieving information.

In the case of magnetic media, it proceeds to formatting, permanent deletion, or physical destruction of the support. For paper documents, paper shredders or specially arranged bins for later destruction are used, under supervision.

5.2.7 Offline Backup

It is available a secure external storage for the safekeeping of documents, magnetic and electronic devices that are independent of the operations center.

5.3 Procedure Controls

It is guaranteed that its systems are operated safely, for which it has establish and implemented procedures for the functions which affect the supply of its services.

The staff runs the administrative and management procedures according to the security policy procedures.

5.3.1 Trust Roles

It is identified, according with its security policy, the following trust functions and roles:

- **Internal Auditor:** Responsible for compliance with operating procedures. This is an external person to the Department of Information Systems. The tasks of Internal Auditor are incompatible in time with tasks and incompatible with Certification Systems. These functions will be subordinate to the head of operations, reporting both this technical direction.
- **System Administrator:** Responsible for the proper functioning of hardware and software support platform certification.
- **System Operator:** Responsible, together with the Systems Administrator, for the correct functioning of the hardware and software supporting the certification platform. The operator is responsible for backup procedures and maintenance of the daily operations of the systems.
- **Security Manager:** Responsible for coordinating, monitoring and enforcing security measures as defined by the security policies of UANATACA. This individual should be responsible for aspects related to information security: logic, physics, networking, organization, etc.



Certification practice statement for timestamping service

Público

Persons holding previous posts are subject to procedures of investigation and specific control. Additionally, it is applied a policy criteria for the segregation of duties, as preventive measure to fraudulent activities.

5.3.2 Identification and authentication for each role

The individuals assigned for each role are identified by the internal auditor will ensure that each person performs the operations for which they are assigned.

Each person only controls the assets required for its role, ensuring that no person access unallocated resources.

Access to resources is performed depending on the asset through cryptographic cards and activation codes.

5.3.3 Roles requiring separation of task

Trust roles are established under the principle of minimum privilege, ensuring a segregation of functions, so that the person holding a role does not have total or especially extensive control of all certification functions, ensuring due control and surveillance, limiting thus any type of fraudulent behavior internally.

The granting of the minimum privilege for trust functions will be done considering the best development of the activity and will be as limited as possible, considering the organizational structure at all times.

5.4 Personnel Controls

5.4.1 History, qualification, experience and authorization requirements

All staff is qualified and has been properly instructed to perform operations that they have been assigned.

Staff in positions of trust has no personal interests that conflict with the development of the role that has been entrusted.

In general, TECALIS withdraws an employee from their duties when knowledge of the existence of the commission of any criminal act that could affect the performance of its functions.

TECALIS does not assign to a reliable site management a person who is not suitable for the position, especially for having been convicted of a crime or minor affecting their suitability for the position. For this reason, a previous investigation, to the extent permitted by applicable law, on the following is done:

- Studies, including alleged degree.



Certification practice statement for timestamping service

Público

- Previous work up to five years, including professional references.
- Professional references.

5.4.2 Procedures of history investigation

Before hiring a person or before that person has access to the job, performs the following checks:

- References of the past years jobs
- Professional references
- Studies, including qualifications.

TECALIS obtains the unequivocal consent of the affected to such previous research, and processes and protects all his personal data in accordance with General Data Protection Regulation and every national regulations applicable.

All checks are made up to be allowed by the applicable law. The reasons that may lead the candidate rejection of a job are the followings:

- Falsehoods on the job application, done by the candidate.
- Very negative professional references or not very reliable.

5.4.3 Training requirements

TECALIS trains the staff in reliable and management jobs, until they reach the required qualification, keeping reports of the training.

Training programs are updated and improved periodically.

Training includes, at least, the following contents:

- Principles and mechanisms of security of the certification hierarchy, and the user environment of the person to train.
- Tasks the person must do.
- Policies and security procedures of TECALIS. Use and operation of machinery and installed applications.
- Management and processing of incidents and security compromise.
- Procedures of business continuity and emergency.
- Process management and security regarding the processing of personal data.

5.4.4 Retraining frequency and requirements

TECALIS, updates the staff training in accordance with the needs, and with enough frequency to comply their functions in a competent and satisfactory way, especially when doing the substantial modifications in the certification tasks.



Certification practice statement for timestamping service

Público

5.4.5 Job rotation frequency and sequence

N/A

5.4.6 Santions and authorized action

TECALIS has a disciplinary system, to debug the responsibilities arising from unauthorized actions, appropriate to the applicable labor legislation.

Disciplinary actions include suspension and loss of employment of the person responsible for the harmful action, proportionate to the gravity of the unauthorized action.

5.4.7 Professional contracting requirements

The staff hired to perform reliable tasks sign a previous confidentiality agreement and the operational requirements used by TECALIS. Any action that may compromise the security of the accepted processes could, once evaluated, lead to the termination of the employment contract.

In case all or part of the certification services were performed by a third party, the provisions and controls performed in this section, or other parts of the Certification Practice Statement, will be applied and complied by the third party who performs the operation functions of the certification services, notwithstanding, the certification authority will be responsible in any case for the effective implementation. These aspects are concretized in the legal instrument used to arrange the certification services provision by a third party different than TECALIS.

5.4.8 Documentation supplied to personnel

The certification services provider will provide the documentation strictly needed by the staff at any moment, to perform their job in a competent and satisfactory form.

5.5 Security Audit Procedures

5.5.1 Types of recorded events

It is produced and safely registered, at least, of the following events related to the entity security:

- Booting and shutting down of systems.
- Attempts to create, delete, set passwords or change privileges.
- Attempts to login and logout.
- Attempted unauthorized access to the TSA system through the network.
- Attempts of unauthorized access to the file system.
- Physical access to the logs.

- Changes in the configuration and maintenance of the system.
- Records of TSA applications.
- Turning on and off the TSA application.
- Changes in the details of the TSA and / or its codes.
- Records of the destruction of the media containing the keys, activation data.
- Events related to the life cycle of the cryptographic module, such as receiving, using and uninstalling it.
- The key generation ceremony and the key management databases.
- Physical access records.
- Maintenance and system configuration changes.
- Staff changes.
- Commitments and discrepancies reports.
- Records of the destruction of material containing key information, activation data or personal information of the subscriber, in case of individual certificates, or of the natural person identified in the certificate, in case of organization certificates.
- Complete reports of physical intrusion attempts in the infrastructures that support the service.
- Events related to synchronization and recalibration of the clock.

Log entries include the following elements:

- Login date and time.
- Serial number or entry sequence, in the automatic records.
- Identity of the entity entering in the register.
- Type of entrance.

5.5.2 Frequency of processing Audit Logs

It is reviewed its logs when a system alert motivated by the existence of any incident occurs.

Processing audit logs is a review of the records including the verification that confirm they have not been tampered, a brief inspection of all log entries and a deeper investigation of any alert or irregularities in the logs. The actions from the audit review are documented.

It is kept a system that guarantees:

- Enough space for logs storage.
- Logs files are not rewritten.
- Information held includes, at least: type of event, date and time, user running the event and result of the operation.
- Logs files will be held in structured files susceptible to incorporate into a DB for further exploration.



Certification practice statement for timestamping service

Público

5.5.3 Period of retention of audit logs

It is held the logs information for a period of between 1 and 15 years, depending on the type of information recorded.

5.5.4 Audit logs protection

The systems logs:

- Are protected from manipulation by signing the files that contain them.
- Are stored in fireproof devices.
- Availability is protected through its storage in facilities out of the center where the CA is located.

Access to logs files is reserved only to authorized persons. Also, devices are handled at all times by authorized personnel.

There is an internal procedure where management processes devices containing the data of the audit logs are detailed.

5.5.5 Audit log backup procedures

There is a proper backup procedure so that, in case of loss or destruction of relevant files, were available in a short period of time the corresponding logs backup.

It is implemented a secure backup procedure of audit logs, making a copy of all logs weekly in an external source. Additionally, a copy is held in a custody external center.

5.5.6 Location of the audit logs storage system

The information of the audit events is collected internally and in an automated way by the operating system, network communications and software certificate management, in addition to the data generated manually, will be stored by the authorized personnel. All this composes the storage system of audit logs.

5.5.7 Notification of the audit event to the subject that caused the event

When the log audit accumulation system records an event, it is not necessary to send a notification to the individual, organization, device or application that caused the event.

5.5.8 Vulnerability analysis

The audit processes cover vulnerability analysis. Vulnerability analysis must be run, reviewed and revised by an examination of these monitored events. This analysis must be run daily, monthly and annually in accordance with the internal procedure intended for this purpose.



Certification practice statement for timestamping service

Público

Audit data systems are stored in order to be used in the investigation of any incident and to locate vulnerabilities.

5.6 Information Files

5.6.1 Retention period for the files

It is saved the mentioned logs above for at least 15 years, or the period defined in the current law.

5.6.2 Protection of the file

The file is protected so only the duly authorized persons can access to it. The file is protected against visualization, modification erased or any other manipulation through its storage in a reliable system.

It is ensured a proper protection of the files by assigning qualified personnel for its treatment and its storage in secure fireproof boxes and external facilities.

5.6.3 File Backup procedures

There is an external storage center to ensure the availability of the file backups of electronic files. The physical documents are stored in safe places restricted to authorized personnel.

At least, It is made incremental daily backups of support of all its electronic documents and makes weekly full backups for data recovery cases.

In addition, in cases where there is a need to keep a copy of the documents on paper, they are stored in a safe place.

5.6.4 Requirements of timestamping

Records are dated with a reliable source via NTP.

There is no need to sign this information digitally.

5.6.5 Location of the file system

It is available a centralized system of gathering information of the activity of the equipment involved in the certificate management service.



Certification practice statement for timestamping service

Público

5.6.6 Procedures to obtain and verify file information

It is available a procedure where describes the process to verify that the stored information is correct and reachable. TECALIS provides the information and means of verification to the auditor.

5.7 Key Renewal

Each key pair of the TSU Certificates used for the time stamping service is associated with the system that provides such service. Prior to the use of the private key of the TSU certificate expire, a key change is made before the expiration or revision of the current ones.

5.8 Compromised Key and Disaster Recovery

5.8.1 Management procedures of incidents and compromise

It is developed security policies and business continuity, which allows the management and backup of the systems in case of compromise or disaster of its operations.

5.8.2 Resources, applications or data corruption

When resources, applications or data corruption events happen, the proper management procedures will begin, which contemplate scaling, investigation and response to the incident. Procedures of compromise of the keys or disaster recovery will begin, if necessary.

5.8.3 Compromised private key of the entity

In case of suspicion or knowledge of the compromise, key compromise procedures will be activated in accordance to the security policies, incident management and business continuity, which allow the recovery of the critical systems, and if necessary, in an alternative data center.

5.8.4 Business continuity capabilities after a disaster

It will be restored the critical services in accordance with the contingency and business continuity plan restoring the normal operation of the previous services within 24 hours of the disaster.

It is available an alternative center for the operation of certification schemes described in the business continuity plan, if necessary.

5.9 Service Termination

TECALIS ensures that possible interruptions to subscribers of the service and to third parties are minimal as a consequence of the cessation of the services of the certification service



Certification practice statement for timestamping service

Público

provider. In this sense, TECALIS guarantees a continuous maintenance of the defined records and for the time established in accordance with this Time Stamping Certification Practices Statement.

Notwithstanding the foregoing, if applicable, TECALIS will execute all actions necessary to transfer to a third party or a notarial repository, the maintenance obligations of the specified records during the corresponding period according to this Time Stamping Certification Practices Statement or the corresponding legal forecast.

Before the services cessation, TECALIS develops a termination plan, with the following provisions:

- Provide the necessary funds, including civil liability insurance, to continue the completion of the revocation activities.
- Inform all Subscribers of the service, Third party that they trust and, in general, any third party with whom they have agreements or other type of termination relationship with a minimum anticipation of 2 months.
- Destroy or disable for use the private keys in charge of the time-stamping service.
- Execute the tasks necessary to transfer the maintenance obligations of the registration information and the event log files during the respective time periods.
- Communicate to the corresponding Spanish Supervisory Body, at least 2 months in advance, the cessation of its activity.
- Likewise, it will inform you of the opening of any bankruptcy proceeding against TECALIS, as well as any other relevant circumstance that may prevent the continuation of the activity.

6. Technical Security Controls

In the provision of trust services, reliable systems and products are used, protected against any alteration and that guarantee the technical and cryptographic security of the certification, which are used as support.

6.1 Generation and Installation of Their Pair Keys

6.1.1 Generation of the key pair

The key pair of the TSU Certificate is generated by the Trust Service Provider Uanataca, S.A., in accordance with its Certification Practices Statement and its disclosure text, available on the website: www.uanataca.com.

Likewise, the key ceremony procedures have been followed, within the high security perimeter assigned to this task. The activities carried out during the key generation ceremony have been registered, dated and signed by all the individuals participating in it, with the presence of an Auditor. These records are kept for audit and monitoring purposes during an appropriate period determined by TECALIS.

For the generation of the key of the TSU certificate, devices with the certifications FIPS 140-2 level 3 and Common Criteria EAL4 + are used.

The keys are generated using the RSA public key algorithm, with a minimum length of 2048 bits.

TSU certificates	2.048 bits	Up to 8 years
------------------	------------	---------------

6.1.2 Sending of the public key to the certificate issuer

The method of remission of the public key to the relying electronic certification services provider is PKCS#10, other equivalent cryptographic test or any other method approved by TECALIS.

6.1.3 Public key distribution of the certification services provider

TECALIS's keys are communicated to third parties who trust in certificates, ensuring the integrity of the key and authenticating its origin, through its publication in the Deposit.



Certification practice statement for timestamping service

Público

Users can access to the Deposit to obtain the public keys, and additionally, in applications S/MIME, the data message may contain a chain of certificates, which are distributed to the users in this way.

The certificate of the CA root and subordinated will be available on the UANATACA web page.

6.1.4 Key Sizes

The length of the TSU Certificates keys are 2048 bits.

6.1.5 Generation of public key parameters

The TSU certificates public key are encrypted in accordance with RFC 5280.

6.1.6 Quality check of the public key parameters

- Module Length= 2048 bits
- Algorithm of keys generation: rsagen1
- Cryptographic functions of Summary: SHA256.

6.1.7 Key generation in IT applications or in equipment goods

All keys are generated in equipment goods, in accordance with the indicated in section 6.11.

6.1.8. Hash Algorithms Used in the Service

- Hash used on the data to be time stamped:
 - The identifier of the hash algorithm used to generate the evidence fingerprint. In this case, the allowed algorithms are:
 - SHA-256 (secure hash ALGORITHM 256-bit OID: 2.16.840.1.101.3.4.2.1)
 - SHA-384 (secure hash ALGORITHM 384-bit OID: 2.16.840.1.101.3.4.2.2)
 - SHA-512 (secure hash ALGORITHM 512-bit OID: 2.16.840.1.101.3.4.2.3)
- The time stamp signature algorithm:
 - In this case, the algorithm used is RSA (SHA256rsa 1.2.840.113549.1.1.11).



Certification practice statement for timestamping service

Público

6.2 Private Key Protection

6.2.1 Cryptographic modules standards

The modules that manage the keys of TECALIS are compliant with the certification FIPS 140-2 level 3 and Common Criteria EAL4+.

6.2.2 Private key multi-person (n of m) control

A multi-person control is required for activating the private key of the TSU Certificate. In case of this Certification Practice Statement, in detail there is a policy of 3 of 6 persons for the keys activation.

Cryptographic devices are physically protected, as determined in this document.

6.2.3 Private key backup

It is made a backup copy of the TSU certificate private key that makes their recovery in case of disaster, loss or deterioration thereof. Both generation of the copy and the recovery thereof need at least two people participation.

These recovery files are stored in fireproof cabinets and in the external custody center.

6.2.4 Private key transfer into a cryptographic module

Private keys are directly generated in the cryptographic modules in the public key infrastructure.

The private keys of the TSU Certificates are stored encrypted in the cryptographic modules of the public key infrastructure.

6.2.5 Method of activating the private key

The private key management procedures of the TECALIS's TSU Certificate is activated by executing the corresponding secure start procedure of the cryptographic module, by people who perform reliable functions.

6.2.6 Method of deactivating the private key

Before destroying the keys, a revocation of the certificate of the public keys associated with them will be issued.



Certification practice statement for timestamping service

Público

Devices that have stored any part of TECALIS private keys are physically destroyed or reset to low level. For disposal, the same steps outlined in the corresponding manual of the cryptographic equipment are followed.

Finally, the backups will be destroyed in a safety way.

6.2.7 Cryptographic modules classification

See section 6.2.

6.3 Computer Security Controls

It is used reliable systems to provide certification services. It has made controls and computer audits to establish its proper computer activity management with the level of security required in the system management of electronic certification.

Regarding the information security, UANATACA as the Public Key Infrastructure provider applies the certification scheme controls on management systems ISO 27001.

Used equipment's are initially configured with appropriate security profiles of UANATACA staff system, in the following aspects:

- Setting up the operating system.
- Setting up the application security.
- Correct sizing of the system.
- User and permissions settings.
- Setting event Log.
- Backup and recovery plan.
- Antivirus settings.
- Requirements of network traffic.

Each server includes the following features:

- Imposition of separation of tasks for the management of privileges.
- Identification and authentication of roles associated with identities.
- Audit of events related to security.
- Key recovery mechanisms and the TSA system.

The exposed functionalities are realized through a combination of operating system, PKI software, physical protection and procedures.

6.4 Life Cycle Technical Controls

6.4.1 System development controls

The applications are developed and implemented in accordance with the development and change control standards.

The applications have methods for verifying the integrity and authenticity, as well as the correction of the version to use.

6.4.2 Security management controls

It is developed activities for training and employee awareness of security. The materials used for training and descriptive documents processes are updates after approval by a group for security management. An annual training plan is used.

It is required by contract security measures equivalent to any external provider involved in the certification tasks of the relying electronic service.

6.4.2.1 Classification and management of information and goods

There is an inventory of assets and documentation and a procedure for the management of this material to guarantee its use.

There is a security policy details the procedures of information management where it is classified according to its level of confidentiality.

The documents are classified into three levels: UNCLASSIFIED, INTERNAL USE and CONFIDENTIAL.

6.4.2.2 Management Operations

There is an appropriate process management and incident response, by implementing a warning system and the generation of periodic reports.

In the security document the incident management process is developed in detail.

TECALIS has documented all the procedure relative to the roles and responsibilities of the staff involved in the control and manipulation of elements contained in the certification process.

6.4.2.3 Treatment of support and safety



Certification practice statement for timestamping service

Público

All supports are treated safely in accordance with the requirements of the classification of information. The supports that contain sensitive information are destroyed safely if they are not going to be required again.

6.4.2.4 Planning Systems

Systems department keeps track of the capabilities of the equipment. In conjunction with the implementation of resources control each system can provide a possible downsizing.

6.4.2.5 Reports of incidents and response

There is a procedure for follow-up of incidents and its resolution, where the answers and an economic evaluation are registered, which supposes the resolution of the incident.

6.4.2.6 Operational proceedings and Liabilities

It is defined activities assigned to persons with a role of trust, other than those responsible for performing daily operations that do not have character of confidentiality.

6.4.2.7 Access system management

It is made all efforts that are reasonable available to confirm that the system access is limited to authorized persons.

In particular:

- There are controls based on firewalls, antivirus and IDS in high availability.
- Sensitive data is protected by cryptographic techniques or access controls with strong identification.
- A data management procedure is taken into account.
- Procedures are in place to ensure that operations are respected in the role policy.
- Each person has a role to perform the certification operations.
- The staff is responsible for their actions through the commitment of confidentiality with the company.

6.4.2.8 Life cycle management of cryptographic hardware

TECALIS ensures that the cryptographic hardware used for signing certificates is not handled during its transport by inspecting the delivered material.

The cryptographic hardware moves on prepared supports to prevent any manipulation.

It is recorded all relevant device information to add to the catalogue of assets.



Certification practice statement for timestamping service

Público

The use of cryptographic hardware for signature certificates requires the use of at least two trusted employees.

It is made periodic tests to ensure the correct functionality of the device.

Only reliable personnel manipulate the cryptographic hardware device.

TECALIS TSU Certificate private key stored in the cryptographic hardware will be erased once the device is removed.

The system configuration, as well as its modifications and updates are documented and controlled.

Changes or updates are authorized by the security officer and they are reflected in the corresponding team's working minutes. At least, two reliable persons perform these settings.

6.5 Network Security controls

There is protection to the physical access to network management devices and has an architecture that directs the traffic generated based on its features of security, creating clearly defined network sections. This division is performed with firewalls.

Confidential information is transferred through unsecured networks; it is performed in an encrypted way using SSL protocols or VPN system with dual factor authentication.

6.6 Engineering controls of Cryptographic Modules

Cryptographic modules are subject to engineering controls provided in the standards indicated along this section.

The key generation algorithms used are commonly accepted for the use of the key to which they are intended.

All cryptographic operations are performed in modules with FIPS 140-2 level 3 certification.

6.7 Time Sources

It is available a procedure of time synchronization coordinated via NTP, that has access to two independent services:

- The first synchronization is a service based on GPS antennas and receivers that allow a level of trust of STRATUM 1 (with two high availability systems).



Certification practice statement for timestamping service

Público

- The second one has a complementary synchronization, via NTP, with the Spanish Royal Institute and Observatory of the Navy (ROA).

6.8 Electronic Qualified Time Stamp Time Accuracy

TECALIS's Qualified Time Stamping service is based on the use of the TSP protocol over HTTP, defined in the RFC 3161 standard "Internet X.509 Public Key Infrastructure Time-Stamp Protocol (TSP)".

TECALIS has a reliable source of time in high availability that allows a confidence level of STRATUM 3, via NTP, with the CSUC.

The accuracy of the TECALIS Qualified Time Stamping service is 1 second with respect to UTC.

6.9 Change of State of a Qualified Signature Creation Device

In the case of modification of the status of the certification of the qualified signature creation devices (QSCD) that support the provision of trust services, the following procedure will be followed:

1. A list of certified QSCDs is available, as well as a close relationship with suppliers of said devices, in order to guarantee alternatives to possible loss of certification status of QSCD devices.
2. In the event of termination of the period of validity or loss of certification, said QSCDs will not be used for the provision of the time-stamping service.
3. Proceed immediately to change to QSCD devices with valid certification.
4. In the event that it is proven that a QSCD device has never been a qualified device, either by falsification or any type of fraud, it will proceed immediately to inform the clients and the national regulator about the revocation of the electronics certificates issued by these devices. Subsequently it will proceed to replace them by a valid QSCD device.



Certification practice statement for timestamping service

Público

7. TSU Certificate Profile

The TSU certificate profile for the provision of the time stamp service follows the processes and indications established in the Certification Practice Statements (CPS) of UANATACA and its disclosure text (PDS), all available on the website: <https://web.uanataca.com/>

7.1 Certificate Profile

The TSU Certificates are compliant with the standard X.509 version 3, RFC 3739 and the ETSI EN 319 422.

7.1.1 Version Number

The certificate is X.509 Version 3.

7.1.2 Certificate extensions

Certificates extensions are detailed in the profile's documents, which are accessible from UANATACA's web (<https://www.uanataca.com>).

In this way, it is allowed to keep more stable versions of the Certification Practice Statement and decouple them from frequent adjustments in the profiles.

7.1.3 Object Identifier (OID) of the algorithms

The object identifier of the signature algorithm is:

- 1.2.840.113549.1.1.11 sha256WithRSAEncryption



Certification practice statement for timestamping service

Público

The object identifier of the public key algorithm is:

- 1.2.840.113549.1.1.1 rsaEncryption

7.1.4 Names Format

Certificates must contain the required information for its use, as determined by the appropriate policy.

7.1.5 Names Restriction

The names in the certificates are restricted to “Distinguished Names” X.500, that are unique and non ambiguous.

7.1.6 Object Identifiers (OID) of certificates types

All certificates include an identifier of the certificates policy under which they have been issued.

7.2 Certificate Revocation List Profile

The procedure of revocation, suspension and / or reactivation of TSU certificates follow the processes and indications established in the Certification Practice Statement and Disclosure Text (PDS) of UANATACA, all available on the website: <https://web.uanataca.com/>

7.2.1 Version Number

CRLs issued by UANATACA are from version 2.

7.2.2 OCSP profile

According to standard IETF RFC 6960.

8. Compliance Audit

TECALIS has communicated the beginning of its activity as a trust service provider by the National Supervisory Body, currently the Ministry of Industry, Trade and Tourism, and is subject to the control reviews that this body considers necessary.

8.1 Frequency of Compliance Audit

TECALIS conducts a compliance audit annually, in addition to internal audits carried out at its own discretion or at any time, due to a suspected breach of any security measure.

8.2 Identification and Qualification of the Auditor

An external independent audit signature performs the audits, demonstrating technical competence and experience in computer security, information systems security and compliance audits of public key certification services and related elements.

8.3 Auditor Relationship to Audited Entity

Audit firms are of renowned prestige, with specialized departments in conducting IT audits, so there is no conflict of interest that could undermine its performance in relation to TECALIS.

8.4 Topics Covered by Audit

The Audit verifies with reference to TECALIS that:

- The entity has a management system, which ensures the quality of service.
- The entity complies with the requirements of the Certification Practice Statement and other documentation related to the issuance of the various digital certificates.
- The Certification Practice Statement and other related legal documentation comply with the agreed with TECALIS and the established in the current regulation.
- The entity properly manages its information systems.



Certification practice statement for timestamping service

Público

8.4 Actions taken as a result of Lack of Conformity

Once the management has received the auditor's compliance report, the deficiencies found are analyzed with the audit entity. This report also develops and implements the corrective policies that tackle these deficiencies.

If TECALIS is unable to develop and/or implement the corrective measures or if the deficiencies found suppose an immediate threat to the system security or integrity, shall immediately inform to the security responsible which can perform the following actions:

- Cease operation temporarily.
- Revoke the TSU certificate key and regenerate the infrastructure.
- Terminate the TSA service.
- Other complementary actions needed.

8.5 Treatment of Audit Reports

The audit reports are delivered to the responsible team of the security in a timelimit of 15 days after the audit.

9. Business and Legal Requirements

9.1 Fees

9.1.1 Timestamping service fees

TECALIS can establish a fee for the time-stamping service, from which, if applicable, the subscribers will be informed in a timely manner.

9.1.2 Timestamping status information Access fees

TECALIS has not established any fee for access to status information for time stamps.

9.1.3 Fees for other services

Not Stipulated.

9.1.4 Refund Policy

Not Stipulated.

9.2 Financial Capacity

TECALIS has enough economic resources to keep its operations, to comply with its obligations and to confront the risk of liability for claim and damages, as established in the applicable regulation, in relation to the management of the services finalization and termination plan.

9.2.1 Cobertura de seguro

TECALIS has warranty coverage of its civil liability, with an insurance of professional civil liability that complies with the current regulation applicable.

9.2.2 Other assets

Not Stipulated.

9.2.3 Insurance Coverage for subscribers and relaying third parties in certificates

TECALIS has a warranty coverage of its civil liability, with an insurance of professional civil liability, for relaying electronic services, with the minimum insured of 1,500,000 Euros.



Certification practice statement for timestamping service

Público

9.3 Confidentiality

9.3.1 Confidential Information

The following information is kept confidential by TECALIS:

- The service requests, as well as any other personal information obtained for the provision of the service, except for the information indicated in the following section.
- Transaction records, including complete records and audit records of transactions.
- Internal and external audit records.
- Business continuity and emergency plans.
- Security plans.
- Documentation of operations, file, monitoring and other analogous.
- All other information identified as "Confidential".

9.3.2 Legal disclosure of information

TECALIS only discloses the confidential information in the cases legally foreseen.

9.4 Personal Data Protection

TECALIS is compliance with current regulations on the protection of personal data, as reflected in the General Data Protection Regulation No. 2016/679 and in general any applicable national regulations.

In compliance with, TECALIS has documented in this Certification Practice Statement the security and organizational aspects and procedures, in order to guarantee that all the personal data to which it has access are protected against its loss, destruction, damage, forgery and illegal or unauthorized processing.

The following is a detail of all the necessary information regarding the processing of personal data made by TECALIS:

Data Controller

The personal data given by reason of the Service would be treated by TECALIS SOFTWARE SL , who is configured as the Data Controller and whose data are detailed here:

Tecalís Software S.L.

B70186184

Rúa Oliveira 96, Parque empresarial Novo Milladoiro, 15895 Milladoiro-Ames,

A Coruña, España

+34 911 01 07 00



Certification practice statement for timestamping service

Público

hello@tecalis.com

Purposes of data processing

TECALIS has the duty to inform users that all their personal data provided are treated for the following purposes:

- Provision of Electronic Trust Services. The data is collected through the appropriate contract and is processed with the purpose of carrying out the electronic services requested and contracted by the users, all based on the provisions of this Certification Practice Statements.
- Address inquiries and requests. The data is collected through the contact form available on the website and will be used exclusively to manage the queries and requests received.

TECALIS informs that the personal data provided will only be processed for the purposes described above and will not be treated in a manner incompatible with them

Lawfulness of processing

In accordance with the indicated data purposes, the legal basis for the treatment of personal data of users is:

- The legitimation of the data processing for the provision of electronic trust services is the execution of the contract for the services requested, where the user is part of it.

Processed data and conservation

The categories of personal data processed by TECALIS, including but not limited to, include identifying data (name, surname and identity) and contact information (postal address, email and telephone).

Personal data will be kept and retained as long as they are necessary to respond to inquiries and requests, until the end of the contractual relationship and subsequently, for a period of 15 years from the expiration of the certificate, without prejudice to additional legally required periods.

Data transfer

Personal data will not be transferred to third parties without legal obligation, nor will international transfers be made.

User Rights



Certification practice statement for timestamping service

Público

- Confirmation. All users have the right to obtain confirmation on whether TECALIS is processing personal data concerning them.
- Access and rectification. Users have the right to access all their personal data, as well as request the rectification of those that are inaccurate or erroneous.
- Suppression / cancellation. Users may request the deletion / cancellation of data when, among other reasons, these are not necessary for the purposes for which they were collected.
- Limitation and opposition. The user may request the limitation of the treatment so that their personal data is not applied in the corresponding operations. In certain circumstances and for reasons related to their particular situation, the user may object to the data processing, being TECALIS obliged to stop treating them, except for compelling legitimate reasons, or the exercise or defense of possible claims.
- Portability Interested parties may request that their personal data be sent to them or else be transmitted to another person in charge, in a structured electronic format and of habitual use.

To exercise their rights, users can send a request to the e-mail address hello@tecalis.com or send a letter to the address indicated in the information section of the person responsible for processing. In this petition, they must attach a copy of their identity document and clearly indicate which right they wish to exercise.

9.5 Intellectual Property Rights

TECALIS is the only one that has intellectual property rights of this Certification Practice Statement.

9.6 Obligations and Civil Liability

TECALIS goza de derechos de propiedad intelectual sobre esta Declaración de Prácticas de Certificación de Sellado de Tiempo.

9.6.1 TECALIS Obligations

TECALIS guarantees, under full responsibility that complies with all requirements established in the Certification Practice Statement, and it is responsible for ensuring compliance with the procedures described, according to the instructions contained in this document.

TECALIS provides relying electronic services in accordance with this Certification Practice Statement.



Certification practice statement for timestamping service

Público

TECALIS informs the subscriber of the terms and conditions related to the use of the certificate, price and use limitations, through a subscriber contract that includes by reference the disclosure texts (PDS) of each of the acquired certificates.

The disclosure text document, also known as PDS, meets the content of Annex A of ETSI EN 319 411-1 v1.1.1 (2016-02) this document can be transmitted by electronic media, using a sustainable communication method, and in accessible language.

TECALIS binds subscribers, key holders and third parties that trust in certificates through the disclosure text or PDS, in written and understandable language, with the minimum following contents:

- Requirements to comply with the provisions established in this document.
- Limits on the use of time stamps.
- Information on how to validate a time stamp, including the requirement to check the status of the stamp, and the conditions under which it can reasonably be relied upon, which is applicable when the subscriber acts as a trusted third party.
- The way in which the liability of the Certification Authority is guaranteed.
- Limitations of liability, including the uses for which the Certification Services Provider accepts or excludes liability.
- Period of archiving audit records.
- Applicable dispute resolution procedures.
- Applicable law and competent jurisdiction.

9.6.2 Guarantees offered to subscribers and relying third parties in certificates

TECALIS in the documentation between subscribers and third parties that trust, establishes and rejects guarantees, and applicable limitations of liability.

TECALIS guarantees the subscriber that the time stamps comply with all the material requirements established in this Certification Practice Statement, as well as the reference standards.

TECALIS guarantees the third party that relies on the qualified electronic time stamp that the information contained or incorporated by reference in the seal is correct, except when indicated otherwise.



Certification practice statement for timestamping service

Público

9.6.3 Rejection of other guarantees

TECALIS rejects any other guarantee that is not enforceable under the laws, except those contemplated in this document.

9.6.4 Limitation of liability

TECALIS limits its responsibility to the provision of the service of issuing qualified electronic time stamps, which will be regulated by the appropriate contract.

TECALIS does not perform any verification of the document for which the Time Stamp is requested, since it is sent directly by the Subscriber under its own and exclusive responsibility.

TECALIS does not assume any obligation with respect to the monitoring of the content, type and / or format of the documents and the hash sent by the time stamping process.

TECALIS will not be responsible for any direct damage and / or by third parties because of the misuse of the qualified time stamps duly issued in accordance with this document.

9.6.5 Fortuitous event and force majeure

TECALIS includes in the disclosure text or PDS, clauses that limit its responsibility in fortuitous event or force majeure.

9.6.6 Applicable Law

TECALIS establishes, in the subscriber contract and in the disclosure text or PDS, that the applicable law of services provision, including the policy and practices of certification, is the Spanish Law.

9.6.7 Severability, survival, entire agreement and notification clauses

TECALIS establishes, in the subscriber's contract and in the disclosure text or PDS, the severability, survival, entire agreement and notification clauses:

- Under the severability clause, the invalidity of a clause will not affect the rest of the contract.
- Under the survival clause, certain rules will remain in force after the completion of the regulatory service of the legal relationship between the parties. For this purpose, the Certification Authority ensures that the requirements of sections 9.6.1 (Obligations and



Certification practice statement for timestamping service

Público

liability), 8 (Compliance audit) and 9.3 (Confidentiality), remain in force after the termination of the service and the general conditions of issuance/use.

- Under the entire agreement clause it is understood that the regulatory legal service contains the full will and all agreements between the parties.
- Under the notification clause, it will be established the procedure by which the parties mutually report incidents.

9.6.8 Competent Jurisdiction Clause

TECALIS establishes, in the subscriber's contract and in the disclosure text or PDS, a jurisdiction clause, indicating that the international jurisdiction corresponds to the Spanish judges.

The territorial and functional jurisdiction shall be determined under the regulations of international private law and procedural law that may be applied.

9.6.9 Resolution of conflicts

TECALIS establishes, in the subscriber's contract, and in the disclosure text or PDS, mediation and resolution procedures of applicable disputes.

10. Annex I - Acronyms

AC	Autoridad de Certificación. Certification Authority
CA	Certification Authority. Autoridad de Certificación
RA	Autoridad de Registro. Register Authority
CN	Common Name
CP	Certificate Policy
CPD	Centro de Procesamiento de Datos. Data Processing Center
CPS	Certification Practice Statement. Declaración de Prácticas de Certificación
CRL	Certificate Revocation List. Lista de certificados revocados
CSR	Certificate Signing Request. Petición de firma de certificado
DES	Data Encryption Standard. Estándar de cifrado de datos
DN	Distinguished Name. Nombre distintivo dentro del certificado digital
DPC	Declaración de Prácticas de Certificación. Certification Practice Statement
DSA	Digital Signature Algorithm. Estándar de algoritmo de firma
DCCF	Dispositivo Cualificado de Creación de Firma. Qualified Signature Creation Device
ETSI	European Telecommunications Standards Institute o Instituto Europeo de Normas de Telecomunicaciones
QSCD	Qualified Signature Creation Device. Dispositivo Cualificado de Creación de Firma
FIPS	Federal Information Processing Standard Publication. Publicación estándar de procesamiento de información federal
ISO	International Organization for Standardization. Organismo Internacional de Estandarización
LRC	Listas de Revocación de Certificados. Certificate Revocation Lists
LDAP	Lightweight Directory Access Protocol. Protocolo de acceso a directorios

NTP	Network Time Protocol. Protocolo de tiempo de red
OCSP	On-line Certificate Status Protocol. Protocolo de acceso al estado de los certificados
OID	Object Identifier. Identificador de objeto
PA	Policy Authority. Autoridad de Políticas
PC	Política de Certificación. Certification Policy
PDS	Texto de divulgación – Policy Disclosure Statement
PIN	Personal Identification Number. Número de identificación personal
PKCS	Public-Key Cryptography Standards. Estándares de criptografía de clave pública
PKI	Public Key Infrastructure. Infraestructura de clave pública
PSC	Prestador de Servicios Electrónicos de Certificación / Confianza. Trust Services Provider.
RSA	Rivest-Shimar-Adleman. Tipo de algoritmo de cifrado
SHA	Secure Hash Algorithm. Algoritmo seguro de Hash
SSL	Secure Sockets Layer
TCP/IP	Transmission Control. Protocol/Internet Protocol
TSA	Autoridad de Sellado de Tiempo – Time Stamping authority
TSP	Trust Service Provider. Prestador de Servicios Electrónicos de Certificación / Confianza
TSU	Unidad de Sellado de Tiempo – Time Stamping Unit

